

The first and only FDA-approved immunotherapy to treat recurrent respiratory papillomatosis (RRP) in adults

Get on the path to PAPZIMEOS in just 3 STEPS

The updated standard of care in RRP is here—
Precigen is ready to give you the support
you may need along your treatment journey

Enroll in Papzimeos SUPPORT to **learn more
about treatment, understand coverage options,
and find financial assistance for PAPZIMEOS.**

STEP 1 ● **ENROLLING**

STEP 2 ● **GETTING APPROVED**

STEP 3 ● **STARTING PAPZIMEOS**

Enroll in Papzimeos
SUPPORT today

scan the code to visit
papzimeos.com/enroll
or call (866) 827-8180



Not an actual patient.

What is PAPZIMEOS?

PAPZIMEOS is a type of immunotherapy used to treat a condition called recurrent respiratory papillomatosis (RRP) in adults.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about PAPZIMEOS?

Some people may have a reaction to the shot. Signs and symptoms may include redness, pain, swelling, itching, or warmth where the shot was given. After your first treatment, your healthcare provider will watch you for at least 30 minutes to make sure you're feeling okay.

Please see full Prescribing Information.

STEP 1: **ENROLLING**

PAPZIMEOS may be
**CLOSER THAN
YOU THINK**



Not an actual patient.

Enrolling is the first step to getting PAPZIMEOS— the first and only immunotherapy for RRP

Sign up for Papzimeos SUPPORT by completing the Enrollment Form. Once it is complete, Papzimeos SUPPORT will check your insurance coverage to find out if you are eligible for any financial assistance.

Be sure that both you and your healthcare provider sign the Enrollment Form to start the prescription process for PAPZIMEOS*

**A missing signature
can delay the process**



*Print out the Enrollment Form to fill out with your healthcare provider during your next visit. The prescription process only starts after both you and your healthcare provider submit the Enrollment Form. Papzimeos SUPPORT will call you to explain what financial assistance is available, if you are eligible. You must speak to a representative to get access to PAPZIMEOS.

Important Safety Information (cont'd)

What is the most important information I should know about PAPZIMEOS? (cont'd)

Please contact your doctor immediately if you develop an infection, the reaction to your shot worsens, or you experience any of the below symptoms, which may indicate a systemic allergic reaction:

- Difficulty breathing
- Widespread rash
- Facial swelling

Learn more by **ENROLLING IN** **Papzimeos SUPPORT**

Your doctor may get PAPZIMEOS directly, or you may go through Papzimeos SUPPORT. Talk to your doctor about your treatment plan.

Stay up to date on:

- **UNDERSTANDING COVERAGE:**
Help with the **insurance process** and information you may need for your health plan
- **FINANCIAL ASSISTANCE:**
Information about resources for understanding the cost of treatment
- **COPAY PROGRAM**
Eligible people with RRP may pay as little as \$0[†] out of pocket for PAPZIMEOS

[†]Terms and Conditions apply. Some limitations are required by law. Patients covered by federal or state healthcare programs, including Medicare and Medicaid, are not eligible for assistance. Subject to eligibility and program terms and conditions; Papzimeos SUPPORT programs do not constitute health insurance. Eligibility required. Offer not valid for cash-paying patients.

CALL

(866) 827-8180

FAX

(833) 813-8580

VISIT

PAPZIMEOS.COM/ENROLL

Monday to Friday, 8 AM to 8 PM ET

Important Safety Information (cont'd)

What is the most important information I should know about PAPZIMEOS? (cont'd)

Thrombotic events (blood clots that block your blood vessels) may occur after your PAPZIMEOS shot. Please notify your doctor immediately if you have the following symptoms:

- Shortness of breath
- Leg swelling
- Severe or persistent headaches
- Chest pain
- Persistent abdominal pain
- Blurred vision

Please see full **Prescribing Information**.


Papzimeos[™]
zopapogene imadenovec-drba
For subcutaneous injection 5 x 10¹¹ PU/mL

STEP 2: GETTING APPROVED

We are here to help you
through the process to get
PAPZIMEOS



Not an actual patient.

A representative from Papzimeos SUPPORT will follow up with you

You will receive a phone call from a Papzimeos SUPPORT representative to confirm the information you provided on the Enrollment Form. This is an opportunity to verify your information and to ask any questions you may have.

FOLLOW UP WITH YOUR DOCTOR!

Help make sure that you may be approved for PAPZIMEOS—your doctor and Papzimeos SUPPORT may need more insurance information, prior authorizations, and/or a medical necessity letter.

Approval may depend on benefits investigations, appeals, and potential medical exceptions.



Make sure to answer the phone when Papzimeos SUPPORT calls to verify your information.

Important Safety Information (cont'd)

What should I know before taking PAPZIMEOS?

Before taking PAPZIMEOS, tell your healthcare provider about all of your medical conditions, including:

- If you are pregnant or plan to become pregnant because it is not known if PAPZIMEOS will harm the unborn baby.
- If you are breastfeeding or plan to breastfeed. It is unknown if PAPZIMEOS is present in breast milk, or how it affects the breastfeeding child or milk production. Talk to your healthcare provider about the best way to feed your baby during treatment with PAPZIMEOS.

The Papzimeos SUPPORT COPAY PROGRAM can help eligible patients

First, complete the PAPZIMEOS Enrollment Form to get the details about your insurance coverage

After you enroll, Papzimeos SUPPORT will start checking for financial assistance. The Copay Program can help eligible patients pay as little as \$0 out of pocket for PAPZIMEOS.

ARE YOU ELIGIBLE?

There are no income requirements for the Papzimeos SUPPORT Copay Program.

Eligibility is reviewed after you submit the Enrollment Form. Terms and conditions apply.[†]

PAPZIMEOS is covered by Medicare and Medicaid, **and did you know that most commercial insurance already covers PAPZIMEOS too?** Coverage is growing every day, helping PAPZIMEOS become more widely accessible.

[†]Terms and Conditions apply. Some limitations are required by law. Patients covered by federal or state healthcare programs, including Medicare and Medicaid, are not eligible for assistance. Subject to eligibility and program terms and conditions; Papzimeos SUPPORT programs do not constitute health insurance. Eligibility required. Offer not valid for cash-paying patients.



Not actual patients.

Important Safety Information (cont'd)

What are the most common side effects of PAPZIMEOS?

The most common side effects include:

- Pain, redness, or swelling where the shot was given
- Feeling tired
- Chills
- Fever
- Muscle aches
- Nausea (feeling sick)

Please see full Prescribing Information.

Papzimeos™
zopapogene imadenovec-drba
For subcutaneous injection 5 x 10¹¹ PU/mL

STEP 3: STARTING PAPZIMEOS

Your

HEALTHCARE PROVIDER

and care team will order PAPZIMEOS

PAPZIMEOS is an injection given just under the skin.

PAPZIMEOS is a specialty medicine that requires specialty handling, and your ENT (ear, nose, and throat) specialist may need to work with other facilities that can help store and handle PAPZIMEOS. You may need to go to another healthcare setting to receive PAPZIMEOS because it must be stored in special freezers.

A multidisciplinary team can help you pick a management plan that meets your treatment needs.

Talk to your healthcare provider about a schedule that works for you

Remember to ask your doctor where to go to get your PAPZIMEOS



Actor portrayals.

Important Safety Information (cont'd)

What are the most common side effects of PAPZIMEOS? (cont'd)

The most common side effects include:

- Headache
- Increased heart rate
- Diarrhea
- Vomiting
- Sweating a lot

PAPZIMEOS is a **SINGLE COURSE—** **Make it your FIRST CHOICE**

PAPZIMEOS is a **single course of treatment**
of 4 doses over 12 weeks[§]



PAPZIMEOS is a subcutaneous injection, given just under the skin, in 4 doses over 12 weeks.

[§]Before your first dose, you will need to have a procedure to remove any visible papillomas.

- After your first treatment, your healthcare provider will watch you **for at least 30 minutes** to make sure you're feeling okay.
- The **second dose** should be given no less than 11 days after the first dose.

Some people may have a reaction to the shot. Signs and symptoms may include redness, pain, swelling, itching, or warmth where the shot was given.

Your doctor may consider an additional procedure to remove any visible papillomas before the third and fourth doses.

Please ask your doctor if you have any questions about treatment.

Important Safety Information (cont'd)

What are the most common side effects of PAPZIMEOS? (cont'd)

These are not all of the possible side effects of PAPZIMEOS. Call your healthcare provider for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088. You may also report side effects to Precigen, Inc. at 1-855-PGE-NRRP (1-855-743-6777).

Please see full Prescribing Information.

Papzimeos™
zopapogene imadenovec-drba
For subcutaneous injection 5 x 10¹¹ PU/mL

THINGS TO REMEMBER:

- Both you and your doctor need to sign the Enrollment Form
- Papzimeos SUPPORT will call to confirm financial information
- You have the address of where to go for treatment with PAPZIMEOS
- Ask your doctor if you have any questions about treatment or what to expect
- Ensure you follow up with additional information that may be needed for insurance

Please see full Prescribing Information.



Not an actual patient.

THE STANDARD

of care in recurrent respiratory papillomatosis (RRP) has evolved

Experts supported by the RRP Foundation agree that HPV-specific immunotherapy can help adults with RRP.

MAKE PAPZIMEOS YOUR FIRST CHOICE TO TREAT YOUR RRP.

- **First and only** FDA-approved immunotherapy to treat RRP
- PAPZIMEOS is the only treatment that targets the **root cause of RRP**
- PAPZIMEOS is **not a surgery** but requires a debulking procedure before the first dose
- **A single course** of 4 doses over 12 weeks



Sign up for the latest information about PAPZIMEOS at papzimeos.com

What is PAPZIMEOS?

PAPZIMEOS is a type of immunotherapy used to treat a condition called recurrent respiratory papillomatosis (RRP) in adults.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about PAPZIMEOS?

Some people may have a reaction to the shot. Signs and symptoms may include redness, pain, swelling, itching, or warmth where the shot was given. After your first treatment, your healthcare provider will watch you for at least 30 minutes to make sure you're feeling okay.

Please see full Prescribing Information.